

MODEL YEAR 2008



CONVERSION SPECIFICATIONS

Marathon

Tampa Super Show Coach

Coach: #1131 H3-3SF

Vehicle Identification #: 70946
Registered State: Oregon
Sales Representative:
Project Engineer: Ty Power
Interior Designer: Gail Curtis
Electrical Engineer: Fred Gadsden
Mechanical Engineer: Terry Lavis
Project Leader: Todd Fitzgerald

TABLE OF CONTENTS

CUSTOMER LETTER OF AGREEMENT	Page 2
SPECIAL NOTES	Page 3
1. CHASSIS/FLOOR PLAN SPECIFICATIONS	Page 4
2. CABINetry/FINISH SPECIFICATIONS	Page 6
3. SOLID SURFACING/COUNTERTOPS	Page 8
4. CEILING/WINDOW/WALL TREATMENTS	Page 10
5. FLOOR COVERINGS	Page 12
6. FURNITURE/UPHOLSTERY	Page 14
7. EXTERIOR SPECIFICATIONS	Page 16
8. UNDERBELLY/MECHANICAL SPECIFICATIONS	Page 18
9. ELECTRICAL/POWER MANAGEMENT	Page 20
10. CLIMATE CONTROL/VENTILATION	Page 22
11. INTERIOR LIGHTING	Page 24
12. AUDIO/VIDEO SPECIFICATIONS	Page 26
13. COMMUNICATION/INFORMATION SYSTEMS	Page 28
14. PLUMBING SPECIFICATIONS	Page 30
15. APPLIANCE SPECIFICATIONS	Page 32
16. ACCESSORIES/MISCELLANEOUS	Page 34
17. CEILING/WINDOW/WALL COMPONENTS CHART	Page 1C
18. FLOORING COMPONENTS CHART	Page 3C
19. FURNITURE/UPHOLSTERY COMPONENTS CHART	Page 5C
20. PLUMBING COMPONENTS CHART	Page 7C
21. ACCESSORIES/MISC. COMPONENTS CHART	Page 9C
22. FABRIC/MATERIAL CHART	Page 11C
23. NON-STOCK ITEM REQUISITION FORM	Page 13C

Model year specifications may change without notice and pertain only to Prevost chassis' starting with serial #1073

Modification sections take precedent over the standard spec listings

Customer signature:

Date:

CUSTOM ORDER LETTER OF AGREEMENT

- 1.** As of the date of this signing, all selections are final. Changes, additions or deletions at the request of the client may result in additional expense to the client and/or a revision of the date of delivery.

- 2.** Assignment of the exact production slot for a custom coach will only occur after the coach specifications are finalized. If there are significant open issues or unanswered questions after the customer spec meeting, it will most likely require a later production slot to be utilized.

- 3.** Changes, additions or deletions will generally not be possible once the coach enters production. Changes after that point are typically processed through the Marathon Service Center on a quoted or time and material basis.

- 4.** Due to innovations and improvements within the motorcoach industry, Marathon Coach reserves the right to substitute equal or better quality equipment or materials as warranted.

- 5.** Marathon Coach works to a very aggressive production schedule. While every effort will be made to meet the "goal" delivery date, generally the actual delivery date will be 2-4 weeks after the goal date. Allowing the necessary time at the end of production for "Quality Assurance" testing is critical to the overall quality and reliability of each coach. Around 60 days from coach completion, your sales person will communicate the projected final delivery date for your coach.

Customer signature:

Date:

SPECIAL NOTES:

1. None

Customer signature:

Date:

1. CHASSIS/FLOOR PLAN SPECIFICATIONS

1.1. All Marathon Prevost conversions include:

1. Engine and power train features as follows:
 1. Detroit diesel series 60 515 Hp engine (455 Hp on 40 foot coaches)
 2. Allison World 6-speed transmission
 3. Engine block heater
 4. Racor fuel filter separator
 5. Three 24 volt/140 amp alternators - one for chassis and two for house batteries
 6. Jacob's engine brake (*transmission retarder available on custom order*)
 7. Hot water booster pump
2. Comfort and driving features as follows:
 1. Custom pilot seat with air suspension
 2. DDEC V pro driver electronic controls
 3. Variable assistance steering system
 4. Chrome, electric Ramco rear view mirrors
 5. Convex top rear view mirror extensions
 6. Level low air leveling system
 7. Thermopane windows
 8. Round fog lamps
 9. Xenon low beam headlights
3. Exterior and utility features as follows:
 1. Six Alcoa polished aluminum wheels (steel wheels on the inside duals)
 2. Back-up alarm
 3. Courtesy underbelly light group
 4. S.A.E class 4 hitch - 20,000 lb. maximum towing capacity & 1,500 lb. tongue weight
 5. Spare parts kit

1.2. Prevost chassis selections include:

1. Chassis Type: **Prevost 45 foot VIP H3-45**
2. Conversion Type: **Triple Slideout (Two Salon slideouts, one bedroom (D/S))**
3. Chassis Heat-A/C system: **Drivers heat and air conditioning**
4. Interior coach height: **83" (unfinished-standard H3-45)**

1.3. Prevost window configurations:

1. Fwd. curbside windows: **Custom - see Modifications**
2. Fwd. driverside windows: **Slideout configuration - see 1.3.2.1 & 1.3.2.2 below**
 1. Slideout side windows: **Three total - Awning window in center position (H3-45)**
 2. Slideout end windows: **Two total - Fixed windows in each end of slideout room**
3. Rear curbside windows: **One total - Awning window (H3-45)**
 1. Slideout side windows: **Not applicable**
 2. Slideout end windows: **Not applicable - no slideout room**
4. Rear driverside windows: **Slideout configuration - see 1.3.4.1 & 1.3.4.2 below**
 1. Slideout side windows: **One total - Awning window in center position**
 2. Slideout end windows: **Sheet metal panels - no windows**

1.4. Slideouts - Room details as follows:

1. Slideout vendor: **Valid Manufacturing**
2. Salon slideout(s): **Two Salon slideouts, one bedroom (D/S)**
3. Bedroom slideout(s): **H3-45 - 10' 5" long room**

1.5. Base floor plan: **F3-L**

See page 5 for modifications to Chassis/Floor Plan Specifications

Customer signature:

Date:

Modifications to Chassis Specifications:

1. New roof exhaust layout. (Started on coach #1129)

2. **SEE: SECTION: 14. PLUMBING SPECIFICATIONS** - Specific placement of No-Fuss and "Insta hot"

3. **Fwd curbside slideout windows:** Three total - Awning window in center position, but not be centered in slideout.

4. **Salon slideout room details:** Curbside - 12' 7 1/2" long room, Driverside - 14' 6" long room

5. **SEE SECTION: 9. ELECTRICAL/POWER MANAGEMENT - Custom wire chase/run, and track holder placement for salon curbside slideout.**

6.

7.

8.

9.

10.

Customer signature:

Date:

2. CABINETRY/FINISH SPECIFICATIONS

2.1. Cabinet finish: (1)Wilsonart Glazed Cream 4785 (2) Laminart Laquered Coco 3103

2.2. Laminate finish: (1)1-Gloss (2)T-Textured

2.3. Accent finish: Oil Rubbed Bronze

2.4. General cabinetry as follows:

1. Laminated, fabric lined cabinets with radius bends (on vertical corners) throughout interior
2. Bronze mirror on all applicable wardrobe doors
3. Color matched, custom built louvers, moldings, trim and drawer boxes (with liners)
4. Cabinet pulls: **Schaub & Co. Montcalm Collection, 801 10-B**
 1. Cabinet pull style: **Surface mount cabinet pulls**
 2. Cabinet pull finish: **Distressed Copper**
5. Drawer box finish: **Walnut dovetail drawers**

2.5. Cockpit cabinetry as follows:

1. Front overhead cabinetry: **42" Flip-down plasma TV configuration**
2. Pilot and copilot consoles with solid surface countertop and large drink holder

2.6. Salon cabinetry as follows:

1. Endtable behind pilot seat with solid surface countertop
2. Floor plan specific salon cabinetry as follows:
 1. Occasional table: **Custom - see Modifications**
 2. TV cabinet: **See 12.5.1. for details of an additional salon TV**
 3. Driverside wainscot: **Includes tip-out bins with fabric inserts (standard on slideouts)**
 4. Curbside wainscot: **Custom - see Modifications**

2.7. Galley/Dinette cabinetry as follows:

1. Galley lower cabinet with fixed shelves and/or pull-out shelves and drawers
2. Galley upper cabinet with deep shelving
3. Floor plan specific galley/dinette cabinetry as follows:
 1. Appliance storage: **Not applicable**
 2. Galley display cab: **Custom - see Modifications**
 3. Dinette seating: **Custom - see Modifications**
 4. Dinette upper: **Custom - see Modifications**
 5. Dinette display cab: **Custom - see Modifications**

2.8. Bathroom cabinetry as follows:

1. Bathroom vanity includes under sink storage
2. Bathroom medicine cabinet includes storage and clear mirror doors
3. Floor plan specific bathroom cabinetry:
 1. Water closet vanity: **Includes under sink storage**
 2. Water closet med cab: **Includes storage and clear mirror doors**
 3. Bathroom wardrobe: **Not applicable**
 4. Bunk beds (two total): **Not applicable**

2.9. Bedroom cabinetry as follows:

1. Bed pedestal **Cozy III heater under the foot of the bed**
2. Nightstands with solid surface countertops
3. Floor plan specific bedroom cabinetry:
 1. Wainscot storage cab: **Custom - see Modifications**
 2. Make-up area: **Make-up countertop and stool**
 3. Rear wardrobe: **Walk-in closet with full hang and air pocket door(s)**
 4. Rear drawer bank: **Not applicable**
 5. Bedroom upper: **Side to side above head of bed**

2.10. Pocket doors with full length bronze mirrors installed as follows:

1. Galley/Bathroom door: **Custom - see Modifications**
2. Water closet door: **Air powered door with mirror on bath side**
3. Bathroom/bdrm door(s): **Air powered door with mirror on bedroom side**
4. Walk-in wardrobe door(s): **Dual air powered doors with mirror on outside**

2.11. *Underbelly Cabinetry - See "8. Underbelly/Mechanical Specifications"*

Customer signature:

Date:

See page 7 for modifications to Cabinetry/Finish Specifications

Customer signature:

Date:

Modifications to Cabinetry/Finish Specifications:

#1131 Page 7 of 36

1. Throughout: Two Laminates to be installed: (1) Glazed Cream on floor-to-ceiling walls; (2) Lacquered Coco on most cabinetry/doors to be installed - grain to be oriented HORIZONTALLY. See Gail to verify surfaces.

2. **SEE SECTION: 15. APPLIANCE SPECIFICATIONS** - Sharp microwave finished behind a laminate flip up door

3. **Occasional table:** Custom occasional table in curbside salon slideout will store subwoofer.

4. **Curbside wainscot:** Custom style wainscot cabinet based on curbside salon slideout configuration with magazine rack, one removable panel for electrical components.

5. D/S shower pocket door wall, C/S washer/dryer bedroom wall and C/S refer wall to get recessed area for pictures.

6. Custom slide out walls in curbside salon slideout with wire access at rear wall. Salon C/S slideouts flexible conduit wire return under refer cabinets toe kick.

7. **Galley lower / Upper:** To get sink and Dishwasher & small upper storage cabinet both located on driverside, next to rear end of slideout wall (not in slideout). No-fuss flush to go behind galley upper with access panel in back wall.

8. **Dinette seating:** Free standing table with 14" leaf and two chairs in curbside slide out with two extra fold up chairs for increased seating at dinette.

9. **Galley display cab:** Forward end of microwave cabinet, driverside slideout.

10. **Dinette upper/Display cabinet:** Custom Dinette upper in curbside slide out with display cabinet on the end.

11. Modified rear wardrobe due to the new roof exhaust layout. AV cabinet now on curbside, raised floor for AV component storage. (Started on coach #1129)

12. **Bathroom and W/C:** Upper cabinets to be 17" from decks to allow room for vessel faucets.

13. **Galley Air Pocket Door:** Acrylic Panel with Slats, similar to windowstiles. See Gail.

14. Bedroom C/S Wainscot / Vanity: Modified bedroom wainscot cabinet, made wider, drawers added and storage for the vanity make-up stool.

Customer signature:

Date:

3. SOLID SURFACING/COUNTERTOPS

3.1. Solid surface countertop material(s) and design(s) as follows:

- 1. Countertop material: **Mystera - Terrastone, Aspen #HS-519, HONEYCOMB**
- 2. Build-down: **Mystera - Terrascape, Molten Lava HS-811**
- 3. Contrast/Accent: **Not applicable**
- 4. Countertop finish: **Polished finish**
- 5. Edge detail: **Double radius**
- 6. Optional details: **1 1/2" contrasting perimeter (optional)**
- 7. Optional details: **Polished edge**
- 8. Recessed accent trim: **Match cabinet laminate #1 - Glazed Cream**

3.2. All conversions include the following matching solid surface countertops:

- 1. Pilot console countertop that includes:
 - 1. Large drink holder insert
 - 2. Travel recess (LeMirage only)
- 2. Copilot console with large drink holder insert
- 3. Forward driverside endtable
- 4. Salon/dinette window sills
- 5. Galley countertop:
 - 1. Includes "Reservoir Splash" edge treatment
 - 2. *See "14. Plumbing Specifications" (pg. 30) for sink details*
 - 3. *See "15. Appliance Specifications" (pg. 32) for cooktop details*
- 6. Dinette table as follows:
 - 1. Dinette table style: **Solid surface table with perimeter accent lighting**
 - 2. Installation detail: **Extension table with 14" leaf (optional)**
 - 3. Dinette table leg type: **Wall mounted, Aluminum box design**
 - 4. Dinette table leg finish: **Painted to match cabinet laminate #2 - Lacquered Cocoa**
- 7. Bathroom vanity - see "14. Plumbing Specifications" (pg. 30) for sink details
- 8. Water closet vanity - see "14. Plumbing Specifications" (pg. 30) for sink details (flp dependent)
- 9. Bedroom vanity - see "14. Plumbing Specifications" (pg. 30) for sink details (flp dependent)
- 10. Two nightstand countertops - includes solid surface cord management grommet (flp dependent)
- 11. Bedroom window sills

3.3. Designer backsplashes behind vanity sinks:

- 1. Bathroom backsplash: **Ceramic tile backsplash - see Interior Designer**
- 2. Water closet backsplash: **Ceramic tile backsplash - see Interior Designer**
- 3. Bedroom backsplash: **Not applicable**

3.4. Solid surface shower stall - see "14. Plumbing Specifications" (pg. 30) for shower stall details *See page 9 for modifications to Solid Surfacing/Countertops*

Customer signature:

Date:

Modifications to Solid Surfacing/Countertops:

1. Bathroom & WC Backsplash: Ceramic Tile with top & bottom accent rails.

_____ 2. **SEE: Gail before Bathroom & WC sink installations.**

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

4. CEILING/WINDOW/WALL SPECIFICATIONS

4.1. Ceiling treatments include padded ultrasuede covered ceilings as follows:

1. Salon/Galley ceiling as follows:

1. Salon/galley style: **Custom - see Modifications**
2. Salon/galley pattern: **Custom - see Modifications**
3. Accent Lighting: **LED rope lighting**

2. Bathroom ceiling as follows:

1. Bathroom style: **Custom - see Modifications**
2. Bathroom pattern: **Custom - see Modifications**
3. Accent Lighting: **LED rope lighting**

3. Bedroom ceiling as follows:

1. Bedroom style: **Custom - see Modifications**
2. Bedroom pattern: **Custom - see Modifications**
3. Accent Lighting: **LED rope lighting**

4. See "10. Climate Control/Ventilation (pg. 22) for bedroom ceiling fan details

4.2. Designer window treatments throughout as follows:

1. Cockpit window shades: **Motorized pleated shades**

2. Salon/Dinette windows as follows:

1. Salon/dinette stiles: **Custom - see Modifications**
2. Salon/dinette valances: **#2 - see Modifications**
3. Salon/dinette shades: **Motorized pleated shades**
4. Slideout ends shades: **Motorized pleated shades**
5. Lighting options: **See "11. Interior Lighting" (pg. 24) for details**

3. Galley windows as follows:

1. Galley stiles: **Solid surface window stiles**
2. Galley shades: **Motorized pleated shades**

4. Shower window (*floor plan dependent*) as follows:

1. Shower window type: **Not applicable**
2. Window shade: **Not applicable**
3. Lighting options: **Not applicable**
4. Etching theme: **Not applicable**

5. Bedroom windows as follows:

1. Bedroom stiles: **No stiles - blind guides incorporated into cabinetry**
2. Bedroom valances: **Valance incorporated into roman shade**
3. Bedroom shades: **Motorized roman shades (blackout)**
4. Slideout ends shades: **Motorized roman shades (blackout)**
5. Lighting options: **See "11. Interior Lighting" (pg. 24) for details**

4.3. Designer wall treatments throughout as follows:

1. Salon wainscot: **Not applicable due to wainscot cabinetry**

2. Bathroom walls: **Cabinet laminate on all applicable walls**

1. W/C upper wall: **Designer wallcovering**

2. W/C wainscot wall: **Ceramic tile (optional) - see Interior Designer**

3. Bathroom wardrobe: **Not Applicable**

4. Bedroom wainscot: **Cabinet laminate on driverside (wainscot cabinetry on C/S)**

5. Bedroom walls: **Cabinet laminate on all applicable walls**

6. Rear bedroom wardrobe: **White Cap vinyl (#115889)**

1. Custom wardrobe matching shoe bags/access panel

See page 11 for modifications to Ceiling/Window/Wall Treatments

ECO-5#1

Customer signature:

Date:

Modifications to Ceiling/Window/Wall Treatments:

1. Ceiling: Layout similar to coach 1120. Materials: painted wood panel ceiling with suspended canvas panels and LED rope lighting. See Gail/Frank.
2. Salon Slideout Stiles: Straight box stiles with fixed slats to resemble shutters, over lit acrylic; painted antique white. See also section 11, Lighting.
3. Salon Valances: Fabric-wrapped frame with Laminate insert. See also #11 Lighting.
4. **SEE SECTION: 10 Climate Control/Ventilation** - for additional information on the new ceiling duct layout construction.
5. Bedroom Ceiling: Add ceiling fan and housing. See Gail for custom paint selections.
6. Coach Air conditioning ceiling ducts to be the new "Ultra Duct" material.

ECO-2#4

- 7.
- 8.
- 9.
- 10.

Customer signature:

Date:

5. FLOOR COVERINGS

5.1. Entrance flooring treatments as follows:

- ECO-3#5** 1. Entry steps: **Marble - tiles LIGHTWEIGHT - See Modifications**
- 2. Entry risers: **Polished stainless steel (standard)**
- 3. Entry sidewalls: **Polished stainless steel (standard)**
- ECO-3#5** 4. Entry landing: **Marble - tiles LIGHTWEIGHT - See Modifications**
- ECO-3#5** 5. Pilot floor area: **Marble - tiles LIGHTWEIGHT**
- ECO-3#5** 6. Copilot floor area: **Marble - tiles LIGHTWEIGHT**
- 7. Stairwell cover: **Carpet**
- 8. Treadliners as follows:
 - 1. Individual mats with non-slip backing for steps, landing and under pilot's feet
 - 2. Color: **Custom - see Modifications**

5.2. Salon flooring as follows:

- 1. Flooring material: **Wood plank flooring**
- 2. Design/layout: **Salon flooring design matches galley/dinette flooring design**

5.3. Dinette flooring as follows: Same as galley

5.4. Galley/Bathroom flooring as follows:

- 1. Base material: **Wood plank flooring**
- 2. Base size: **5" wide wood planking**
- 3. Accent material: **Custom - see Modifications**
- 4. Accent material size: **Custom - see Modifications**
- 5. Pattern: **Not applicable**
- ECO-2#1** 6. Base layout: **Base at 45 deg.**
- 7. Accent layout: **Custom - see Modifications**
- 8. Grout material: **Color matched grout and caulking**

5.5. Water closet flooring: Matches galley/bathroom flooring

5.6. Bedroom flooring as follows:

- 1. Flooring material: **Plush carpet with foam pad (different color than salon)**
- 2. Design/layout: **Custom sculptured carpet (different than salon) - see Designer**

5.7. Flooring side chase treatments as follows:

- 1. Salon side chase: **Not applicable due to wainscot cabinet**
- 2. Salon side chase cap: **Not applicable due to wainscot cabinet**
- 3. Dinette side chase: **Not applicable due to wainscot cabinet**
- 4. Dinette side chase cap: **Not applicable due to wainscot cabinet**
- 5. W/C side chase: **Matches galley/bathroom flooring material**
- 6. W/C side chase cap: **Matches galley/bathroom flooring base material**
- 7. Bedroom side chase: **Not applicable due to wainscot cabinet**
- 8. Bedroom side chase cap: **Not applicable due to wainscot cabinet**
- 9. Walk-in wardrobe floor: **Matches bedroom flooring material**

5.8. Miscellaneous flooring features include:

- 1. Protective clear vinyl floor runner installed from cockpit to bedroom
- 2. Replacement flooring materials provided with each coach

See page 13 for modifications to Floor Coverings

Modifications to Floor Coverings:

1. Entry Steps: Stainless Nosing, ref. coach 1120.

2. Treadliner: Bolon, Blend Choco, #41205166

3. 24" Square Stone Medallion Inset into Wood Floor in Galley. Wood Plank Frame around medallion, beveled at corners. See Gail/Project Book drawing.

4.

[ECO-2#2](#)

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

6. FURNITURE/UPHOLSTERY

6.1. Isri leather pilot seat includes:

- 1. Air suspension
- 2. Adjustable arm rests with height extensions
- 3. Seat belt extensions
- 4. Pull-out seat extension
- 5. Variable massage unit with remote control

6.2. 28" wide leather copilot seat includes:

- 1. 6-way power control
- 2. Map and magazine storage on back
- 3. Recliner with leg rest and flip-down foot rest
- 4. Electric headrest and lumbar support
- 5. Variable massage unit with remote control
- 6. Swivel for use as salon seating (n/a on H3-45)

6.3. Curbside salon furniture as follows:

- 1. C/S furniture type: **One Ekornes recliner**
- 2. C/S furniture covering: **All leather (optional)**
- 3. C/S upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
- 4. C/S standard features: **Matching ottoman (includes travel strap)**
- 5. C/S optional features: **Not applicable**

6.4. Driverside salon furniture as follows:

- 1. D/S furniture type: **Custom sofa - see Modifications**
- 2. D/S furniture covering: **Leather frame & arms with fabric seat and back**
- 3. D/S upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
- 4. D/S standard features: **Full width sofa drawer and seat belts**
- 5. D/S optional features: **Not applicable**

6.5. Dinette seating as follows:

- 1. Dinette seating type: **Free standing table with 2 loose chairs & 2 folding chairs**
- 2. Dinette seating covering: **Leather seat**
- 3. Dinette upholstery style: ***See "Furniture Deli Sheet" for upholstery style***
- 4. Dinette seating features: **Not applicable**

6.6. Bed selections as follows:

- 1. Bed style: **Cross bed (driverside)**
- 2. Bed size: **Jr. King - 66" wide x 77" long (standard)**
- 3. Bed shape: **Straight sides with 12" bottom radius corners**
- 4. Bed mattress: **Standard foam (standard)**

6.7. Bedroom make-up vanity as follows:

- 1. Make-up stool type: **Custom - see modifications**
- 2. Make-up stool covering: **Padded fabric seat**
- 3. Make-up stool features: **Cabinet matching storage pedestal**

See page 15 for modifications to Furniture/Upholstery

Customer signature:

Date:

Modifications to Furniture/Upholstery:

1. Round stool with upholstered seat and laminate #2 storage pedestal for bedroom vanity

_____ 2. Sofa - increase length to 82" to accommodate 6" arms.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

7. EXTERIOR SPECIFICATIONS

7.1. Exterior paint process includes:

1. Custom exterior paint design by in-house Marathon Exterior Paint Department
2. Premium quality paint used throughout
3. Multiple clearcoat process for lasting protection and final finish
4. Heated curing process for ultimate durability
5. Extensive final waxing process for superior shine and finish
6. Clear "Invinca Shield" protective film installed on the front and the fenders of all coaches

7.2. Full Girard awning packages as follows:

1. Two curbside patio awnings with wind sensors
2. Two driverside window awnings with wind sensors
3. Crestron wireless remote control and fixed awning switches in the cockpit (*New for 2008*)
4. Four awning matching chrome Zip Dee chairs with embroidered Marathon logos
5. Manual awning crank handle provided
6. Awning package color: **4608 Jet Black**

7.3. Exterior enhancement packages as follows:

1. Fiberglass "Hot Rod" packages as follows:
 1. Front fenders: **H3-45 style #3 (Marathon manufactured)**
 2. Rear fenders: **H3-45 style #3 (Marathon manufactured)**
 3. Taillight housings: **H3-45 "Corvette" taillight housing (standard on H3)**
 4. Front roof cap: **Standard H3-45 - see 7.3.2.4. for stainless steel grill**
 5. Rear roof cap: **Standard H3-45 rear spoiler**
 6. License plate frame(s): **H3-45 - painted fiberglass recess on taillight housing**
 7. Headlight bezels: **Carbon fiber bezels**
2. Polished stainless steel accessories as follows:
 1. Exterior side panels: **Not applicable to H3-45**
 2. Rub rails: **2 5/8" wide H3-45 rub rails**
 3. Hub caps: **Custom cast, polished aluminum full cover hubcaps**
 4. Front grill(s): **H3-45 front awning cap grill & SS Marathon logo insert (Std)**
 5. Bumper trim: **H3-45 expanded metal grill insert (standard)**
 6. Taillight housing inserts: **H3-45 carbon fiber taillight inserts (standard on H3-45)**
 7. Engine door accents: **H3-45 stainless steel bars on door ribs**
 8. Marker light frames: **Stainless steel, standard**
 9. Engine exhaust tip: **Stainless steel, standard**
 10. Gen. exhaust tip: **Stainless steel, standard**
 11. Webasto exhaust tip: **Stainless steel, standard**

7.4. Miscellaneous exterior equipment includes:

1. Entrance door external porch light with "ON" indicator (activates with patio lights)
2. Individual mud flaps behind front wheels
3. Individual drive axle mud flaps with polished stainless steel trim (*LeMirage only*)
4. Rear fender skirt storage on LeMirage coaches
5. European/American tow car package - 6 and 9 pin receptacles
6. Two curbside patio lights switched at entrance & entertainment bay
7. Custom exterior LED lighting as follows:
 1. LeMirage front cap: **Not applicable**
 2. LED ground effects: **Blue LEDs**

7.5. Roof equipment includes:

1. Solar panel - see "9. Electrical/Power Management" (pg. 20) for details
 2. Roof air conditioners - see "10. Climate Control/Ventilation" (pg. 22) for details
 3. Audio/Video antennas - see "12. Audio/Video Specifications" (pg. 26) for details
 4. Cell phone/GPS/CB antennas - see "13. Communication/Info. Systems" (pg. 28) for details
- See page 17 for modifications to Exterior Specifications*

Customer signature:

Date:

Modifications to Exterior Specifications:

1. Custom Echo paint scheme on exterior.

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

8. UNDERBELLY/MECHANICAL SPECIFICATIONS

8.1. Marathon auxiliary air system includes:

1. 110 volt air compressor installed in generator bay
2. Auxiliary air tank **H3-45 - 4 gallon tank behind front bumper**
3. 50 foot air hose on rack **H3-45 - Generator compartment**
4. Quick connect air fitting Located in pilot utility compartment
5. Air operated equipment includes:
 1. Stairwell cover
 2. Generator air bags
 3. Plumbing bay sewer hose/shore cord access door (includes air gauge)
 4. Pocket doors - see "2. Cabinetry/Finish Specifications" (pg. 6) for locations

8.2. Carpeted and insulated underbelly storage compartments as follows:

1. Electric bay door locks: Switched at entrance
2. Bay lights: Switched at entrance and entertainment center
3. Underbelly carpet color: **Taupe**
4. Underbelly cabinet color: **Match cabinet laminate #2**
5. Side to side storage bay(s): **Bays 1 and 2 on H3-45**

8.3. Underbelly cabinetry as follows:

1. Entertainment center: **Bay 4 curbside (H3-45-see "12. Audio/Video" for details)**
2. Zip Dee chair storage box(es) covered in underbelly carpet

8.4. Miscellaneous utility and underbelly equipment includes:

1. Four Zip Dee chairs **H3-45 Valid slideout - Four in box in bay 4 driverside**
2. 13' multi-position ladder **Custom - see Modifications**
3. Marathon entry mat **H3-45 - Located on rear wall of bay 1 curbside**
4. Cargo netting **Not applicable**
5. Jack and lug wrench **H3-45 - Bay 3 driverside**
6. Two fire extinguishers **H3-45 - two, one on each side of bay 2**
7. Exterior paint touch-up kit
8. Paper towel dispenser (plumbing bay)
9. Liquid soap dispenser (plumbing bay)
10. Disposable glove dispenser (plumbing bay)
11. Air horns installed behind front bumper

8.5. *See "9. Electrical/Power Management" (pg. 20) for generator and battery details*

8.6. *See "10. Climate Control/Ventilation" (pg. 22) for heating and air conditioning details*

8.7. *See "14. Plumbing Specifications" (pg. 30) for plumbing bay details*

See page 19 for modifications to Underbelly/Mechanical Specifications

ECO-1#3

Customer signature:

Date:

Modifications to Underbelly/Mechanical Specifications:

1. Dinette table leg to be wall mounted in the C/S slideout. New weight saving Aluminum box design. To be powder coated the coach base laminate color, then painted in house for finish match.
2. Because of curbside slideout, new placement may be needed for ladder. (TBD)
3. Both D/S & C/S Salon slideouts controlled by one unit located the forward side of D/S endtable
4. Custom wire track holder install for salon curbside slideout: The flexible conduit wire return holder will be under the refer cabinets toe kick area.
5. SEE SECTION: 4. CEILING/WINDOW/WALL SPECIFICATIONS - Bedroom ceiling fan
- 6.
- 7.
- 8.
- 9.
- 10.

Customer signature:

Date:

9. ELECTRICAL/POWER MANAGEMENT

9.1. Techlink™ “intelligent” electrical control system includes:

1. Multiple module network system
2. Dash monitor to display coach systems status:
 1. *See "13. Communication/Information Systems" (pg. 28) for display details*
3. Integrated modem for remote diagnostic service capability
4. Custom switch group panels:
 1. Individually illuminated, status-indicating membrane switches
 2. Switches have re-label and re-program capability
 3. Switch group trim: **Custom - see Modifications**

9.2. Shore power system includes:

1. Marathon T-50 "Smart Plug" shore power monitoring system
2. Automatic shore/generator power transfer switching
3. 50 amp power cord - includes electric winder and remote control
4. Single 30 amp and 15 amp shore power adapters

9.3. Kohler 20 kW turbo-charged generator includes:

1. Installed on rollout rack: **Custom - see Modifications**
2. Pressure regulated air bag mounts
3. "Generator Start" switch located at dash
4. Extensive sound deadening of generator compartment
5. Exhaust system: **Exhausted to rear bumper (standard)**

9.4. House battery system includes:

1. Six 4D house batteries **H3-45 - Located behind curbside rear fender**
2. One isolated Group 24 generator battery
3. Roof mounted solar panel for trickle charge of the generator battery
4. Two 140 amp, 24 volt, engine-driven alternators for house battery charging
5. Auto-Gen" battery charging system - *generator starts automatically to charge house batteries*

9.5. Chassis battery system includes:

1. 140 amp, 24 volt, engine driven alternator for chassis battery charging
2. Internal jump start capabilities between house and chassis batteries
3. Dash mounted switch and indicator for battery jump start system

9.6. Two Trace 4000 inverter/chargers include:

1. Inverter location: **H3-45 Valid slideout - bay 4 driverside**
2. Fan ducted exterior ventilation
3. Interior remote controls: **Located in water closet medicine cabinet**
4. Two *emergency* inverter bypass switches

9.7. 12 volt power system includes:

1. DC breaker panel **Located in wall behind toilet**
2. Power outlets at instrument dash and behind pilot seat

9.8. 110 volt power system includes:

1. AC breaker panel **Located in wall behind toilet**
2. Decora style convenience outlets located throughout interior
 1. Outlet color: **Custom - see Modifications**
3. GFCI breaker controlled outlets in all applicable locations
4. GFCI block heater and convenience outlet at engine compartment

9.9. Miscellaneous control switches include:

1. Salon slideout control: **Custom - see Modifications**
2. Bedroom slideout control: **Bathroom/water closet medicine cabinet**
3. Extra auxiliary control switches for after-market installed options

See page 21 for modifications to Electrical/Power Management

Modifications to Electrical/Power Management:

1. **Switch Group Trim:** Match Cabinetry Laminate

2. Outlets (only if visible - not inside cabinetry, etc.): Match Cabinetry Laminate

3. Custom wire track holder install for salon curbside slideout: The flexible conduit wire return holder will be under the refers cabinets toe kick area.

4. C/S wire run will be ran down D/S chase and in D/S underbelly

5. Generators location altered from standard. To be positioned off center, closer to the rear of the C/S bay 3 side wall to clear bay doors side mounted hinge.

6. **SEE SECTION: 8. UNDERBELLY/MECHANICAL SPECIFICATIONS** - Custom wire track holder install for salon curbside slideout

7. **SEE SECTION: 8. UNDERBELLY/MECHANICAL SPECIFICATIONS** - Both D/S & C/S Salon slideouts controled by one unit.

8. Make sure to leave room for "Insta Hot" hot water heater under bathroom vanity. (Same as coach #1119)

9. **SEE SECTION: 4. CEILING/WINDOW/WALL SPECIFICATIONS** - Bedroom ceiling fan

- 10.

Customer signature:

Date:

10. CLIMATE CONTROL/VENTILATION

10.1. Marathon "Climate Control" system for *automatic* cool/heat operation that includes:

- 1. Control of air conditioning, 12 volt heat and 110 volt heat
- 2. SMX infra-red remote control pads (includes remote control through Crestron remotes)
- 3. Remote controlled breakers at dash for A/C units

10.2. Air conditioning system as follows:

- 1. A/C quantity & brand: **Four Coleman roof air units**
- 2. Capacity & type: **13,500 BTU A/C-Heat pump system**
- 3. Ducting details: **Hidden vent ceiling ducted exhaust (standard on roof air)**
- 4. Installation details: **Exterior housings painted to match coach**
- 5. Bathroom discharge vent
- 6. "Quiet cool" salon and bedroom controls

10.3. Heating system as follows:

- 1. Diesel fired 40,000 BTU Webasto furnace (hydronic) system that includes:
 - 1. Multiple heat exchangers: **Cockpit, galley and bedroom**
 - 2. Water heater heat source
 - 3. Additional bedside switches to control 12 volt heat and 12 volt water heaters
- 2. Toekick style 110 volt heaters (climate controlled heaters) as follows:
 - 1. Heater locations: **Cockpit, galley and bedroom**
- 3. Independent 110 volt heaters include:
 - 1. Bathroom heater with local thermostat and ON/OFF convenience switch
 - 2. Plumbing bay heater with remote thermostat

10.4. Ventilation system includes:

- 1. "Fantastic" exhaust fan installed in bathroom which includes:
 - 1. Tinted exterior fan cover with rain sensor
 - 2. Remote thermostat with ON/OFF switch
 - 3. Solid surface ceiling grill (in the shower ceiling)
- 2. Wall mounted exhaust vent fan in all water closets which includes:
 - 1. Custom mirror fan cover

See page 23 for modifications to Climate Control/Ventilation

Customer signature:

Date:

Modifications to Climate Control/Ventilation:

1. New Air conditioning configuration for increased air to the galley/salon/cockpit area, also includes the use of the new "Ultra Duct" material. A change in the location and operation of the 106 and 109 SMX pads and thermisters will also occur. See drawing sheets 1131-3 thru 3E and sheet 1131-11A.

- _____ 2.
- _____ 3.
- _____ 4.
- _____ 5.
- _____ 6.
- _____ 7.
- _____ 8.
- _____ 9.
- _____ 10.
- _____

Customer signature:

Date:

11. INTERIOR LIGHTING

11.1. Flush 12 volt spot lighting as follows:

- 1. "Soft start" *step on* and *fade off* lighting control
- 2. Master light switch at entrance and bedroom that controls all 12 volt lights
- 3. Set of interior light controls installed at instrument dash
- 4. Multi-position dimming control from lighted switches - includes Crestron control of ceiling light
- 5. Lower temperature "Xelogen" light bulbs
- 6. Spot light trim rings: **Custom - see Modifications**
- 7. Multiple locations as follows:
 - 1. Pilot and copilot cockpit lights
 - 2. Salon, galley, bathroom and bedroom ceiling lights
 - 3. Underside of galley and dinette upper cabinets
 - 4. Bathroom and bedroom vanity lights (*floor plan dependent*)
 - 5. Swivel spotlights at the head of the bed for reading

11.2. Micro-switched interior cabinet lighting includes:

- 1. Under all galley sinks
- 2. Under all vanity sinks
- 3. Inside all hanging wardrobe cabinets

11.3. 12 volt, "rope" accent lighting includes:

- 1. Countertop perimeters (*not applicable to some countertop designs*)
- 2. Entrance steps
- 3. Window sills
- 4. Bed top perimeter
- 5. Rear wardrobe steps (*XLVII2S walk-in wardrobes*)

11.4. Window treatment accent lighting as follows:

- 1. Salon valances: **1" spaced rope lights on front of valance**
- 2. Salon post covers: **Back-lit post covers**
- 3. Bedroom valances: **1" spaced rope lights on front of valance**
- 4. Bedroom post covers: **Not applicable - blind guides incorporated into cabinetry**
- 5. Salon soffit lights: **Not applicable**
- 6. Bedroom soffit lights: **Not applicable**
- 7. Shower window lighting: **Not applicable**

11.5. Miscellaneous 12 volt lighting includes:

- 1. Pilot and copilot map lights with halogen bulbs and 7" flexible arms
- 2. Switched lighting in all walk-in wardrobes (*36" fluorescent light*)
- 3. **Fiber optic ceiling lighting - see "4. Ceiling/Window/Wall Treatments" (pg. 10) for locations**
 - 1. Illuminator type: **Not applicable**
 - 2. Illuminator location: **Not applicable**
- 4. LED accent lighting as follows:
 - 1. Curbside dash: **Dark Green - 060 (optional)**
 - 2. Entry door logo: **Dark Green - 060 (optional)**
 - 3. Door safety lighting: white LEDs that shine on ground to light entry
- 5. Lights in each bunk for bunk bed floor plans
See page 25 for modifications to Interior Lighting

Customer signature:

Date:

Modifications to Interior Lighting:

1. A combination of Optronic and Hafele 20w spot lighting throughout the coach, review drawing sheet 1131-3 for lighting specific locations. See Frank or Gail.
2. LED ceiling lighting around the floating ceiling panels - no fiberoptics
3. Add bedroom sconces to wardrobe walls. See Gail for placement.
- 4.
- 5.
- 6.
- 7.
- 8.
- 9.
- 10.

Customer signature:

Date:

12. AUDIO/VIDEO SPECIFICATIONS

12.1. Coach-wide audio/high definition video system includes:

1. Crestron remote audio/video control system as follows:
 1. Salon touch screen remote control with countertop charging station
 2. Bedroom touch screen remote control with wall mounted docking/charging station
 3. Provides independent zone control of salon, bedroom and underbelly A/V systems
 4. Includes Crestron selected video at back-up and copilot monitors (disabled with engine run)
 5. Includes lighting controls for all ceiling lights
 6. Includes control of the cockpit, salon, galley, dinette and bedroom window blinds
 7. Includes climate control of heating and air conditioning system
 8. Includes custom "Theater" button for one touch control of lights, blinds & A/V equipment
2. One DVD player
3. KVH in-motion Digital Satellite System as follows:
 1. Two HD DSS receivers
 2. Satellite dome painted to match exterior
4. Color rear view camera-low light with pan/tilt and two side view cameras
5. Braund Concord VHF/UHF tunable roof mounted television antenna
6. Cable television shore receptacle provided with a 25 ft. coaxial television shore cable
7. Remote control source selection-all TVs receive:
 1. DSS, Cable TV (landline), VCR, DVD & Techlink screens

12.2. Cockpit/Salon audio/high definition video system as follows:

1. Clarion *Pro Audio Series* AM/FM/CD with remote (*includes AM/FM roof antenna*)
2. Integra XM satellite radio (plays through cockpit, bedroom & underbelly stereos)
- ~~3. Clarion Pro Audio Series CD changer with six disc magazine~~
4. Two Clarion *Pro Audio Series* speakers in the cockpit
5. Four Paradigm speakers installed in the salon ceiling
6. One Paradigm subwoofer **Custom - see Modifications**
7. Surround sound receiver including center channel speaker
8. One high definition 42" salon television as follows:
 1. Salon TV size/type: **42" LCD television**
 2. Salon TV sound: **Plays through salon stereo system (standard)**
 3. Salon TV installation: **Motorized, flip down from cockpit cabinetry**
 4. Salon TV features: **42" flip down TVs include heavy duty travel lock**

12.3. Bedroom audio/video system as follows:

1. Clarion Pro Audio Series AM/FM/CD deck with remote (*includes AM/FM roof antenna*)
2. Two Paradigm speakers installed in the bedroom ceiling
3. One bedroom high definition television as follows:
 1. Bedroom TV size/type: **32" LCD television (standard)**
 2. Bedroom TV sound: **Plays through bedroom stereo speakers (standard)**
 3. Bdrm TV installation: **Installed in bedroom curbside cabinet**
 4. Bedroom TV features: **Not applicable**

12.4. Underbelly entertainment center as follows:

1. Clarion Pro Audio Series AM/FM/CD deck with remote (*includes AM/FM roof antenna*)
2. Two shielded stereo speakers
3. One underbelly high definition television as follows:
 1. Underbelly size/type: **32" LCD television (standard)**
 2. Underbelly TV sound: **Plays through underbelly stereo speakers (standard)**
 3. Underbelly TV install.: **Installed in underbelly entertainment center (standard)**
 4. Underbelly TV features: **Installed on swing-out (standard)**

12.5. Floor plan specific audio/video systems as follows:

1. Additional salon HD TV: **23" LCD TV in forward slideout display cabinet (standard)**
 1. Features include: **Fixed installation in the top of display cabinet (standard)**
2. Bunk beds (each bunk): **Not applicable**

See page 27 for modifications to Audio/Video Specifications

Customer signature:

Date:

Modifications to Audio/Video Specifications:

1. One Paradigm subwoofer: In curbside salon slideout occasional table.

2. The VCR is deleted

3. Delete one of the two DSS receivers (model H20)

4. Add one DSS receiver with a hard drive DVR function (model HR20)

5. Additions:

- Integra XM radio
- Parasound AM/FM tuners
- 6 disc DVD changer

6. Deletions:

- Delphi XM radio
- Clarion car stereos
- Clarion 6 disc CD changer

7.

8.

9.

10.

Customer signature:

Date:

13. COMMUNICATION/INFORMATION SYSTEMS

13.1. Communication systems include:

1. Citizens band radio system as follows:
 1. Cobra *handheld* 40-channel radio
 2. Roof mounted antenna
2. Landline telephone system as follows:
 1. Exterior phone inlet
 2. Phone jacks at endtable behind pilot, dinette, nightstands & underbelly entertainment bay
3. Pre-wired cellular telephone cable and antenna lead
4. Door bell with lighted exterior switch

13.2. Information systems include:

1. ~~Dash mounted 7" color flat screen monitor for displaying:~~
 1. Rear view camera
 2. Generator status
 3. Power supplies status
 4. Plumbing tank levels
 5. Temperatures - inside/outside/bay
 6. Contact phone numbers
2. GPS mapping systems
 1. ~~Two complete systems one for pilot and one for copilot~~
 2. 10.4" touch screen pilot monitor installed at dash
 3. 6.95" touch screen copilot monitor installed on flexible arm
 4. ~~Two roof mounted antennas~~
3. Pre-wired for personal computer hook-up:
 1. Separate phone jack and 110 volt power for stand-alone computer

13.3. Warning systems include:

1. Prevest burglar alarm including:
 1. Two remote key fobs
 2. Motorized deadbolt
 3. Keyless entry
2. TV "Antenna-Up" warning indicator light with ignition switched on
3. Inverter power loss indicator light with audible warning
4. Shore power On and shore power Loss indicators at the dash
5. Carbon monoxide (CO) detector installed in the galley area
6. Smoke detector installed in the galley

See page 29 for modifications to Communication/Information Systems

Customer signature:

Date:

Modifications to Communication/Information Systems

1. **Additions:**

- 10.4" Crestron touch panel in dash
- Alpine navigation system

2. **Deletions:**

- Kenwood navigation system
- 6.95" Crestron touch panel in dash

3.

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

14. PLUMBING SPECIFICATIONS

14.1. Underbelly plumbing specifications include:

1. Seamless, non-corroding, polyethylene water and holding tank system as follows:
 1. Plumbing capacities: **Custom - see Modifications**
 2. Pre-connected sewer hose with powered extend and retract
 3. Electrically operated gray and black tank dump valves (*manual valve on fresh tank*)
 4. Gray and black tank flush system
 5. Automatic fresh water tank fill with remote switch and cockpit indicator
 6. Gravity fresh water tank fill spout
 7. Sewer hose dump adapter with waterproof storage bag
2. Two 10.5 gallon water heaters include:
 1. Two separate heat sources - 110 volt and 12 volt
 2. Plumbed in series
3. Commercial grade, 1/2" full-flow pressure regulator for city water inlet
4. Pre-filtered shore water inlet and secondary drinking and ice water filters
5. 110V AC high output water pump with "enabled" indicator, switched in plumbing bay
6. 12 volt *back-up* water pump, switched in plumbing bay and at the 12 volt breaker panel
7. Poly water lines with hot and cold chrome-plated copper manifolds
8. Hot and cold water at exterior plumbing bay with adjustable faucet
9. Fresh water hose (25 foot long)

14.2. Galley plumbing specifications include:

1. Filtered drinking water and ice
2. Designer, solid surface galley sink(s) with sink covers (floor plan specific, see 14.5.1.)
3. Designer galley faucet with pull-out sprayer
4. Switched In-Sink-Erator hot water dispenser

14.3. Bathroom plumbing specifications include:

1. Vitreous china toilet: **Thetford Tecma electric toilet**
2. Shower fixture includes:
 1. *Temperature controlled* thermostatic mixer valve
 2. Adjustable hand-held shower with glidebar
3. Shower enclosure/door as follows (*floor plan dependent*):
 1. Enclosure/door type: **Single flat glass shower door**
 2. Enclosure/door finish: **Oil Rubbed Bronze**
4. Shower tray as follows (*floor plan dependent*):
 1. Shower tray style: **Solid surface tray**
 2. Shower tray color: **Myстера, Terrastone: Aspen #HS-519**
5. Shower walls as follows:
 1. Upper shower walls: **Solid surface**
 2. Lower shower walls: **Ceramic tile**
6. Shower accent band: **Custom - see modifications**
7. Shower caddy: **Stacked Corner Caddy - Solid Surface**
8. Shower seat: **Custom - see Modifications**

14.4. Floor plan specific plumbing specifications as follows:

1. Galley sink(s): **Color-matched single bowl solid surface sink**
2. Bathroom vanity sink: **Custom - see Modifications**
3. Bathroom vanity faucet: **Designer, accent-matched faucet**
4. Water closet sink: **Custom - see Modifications**
5. Water closet faucet: **Designer, accent-matched faucet**
6. Bedroom vanity sink: **Not applicable**
7. Bedroom vanity faucet: **Not applicable**

See page 31 for modifications to Plumbing Specifications

Customer signature:

Date:

Modifications to Plumbing Specifications:

1. **No Shower Accent Band. Lower shower wall 6x6" ceramic tile with 3x6" accent rail at top.**

2. **Bathroom & WC sinks: glazed porcelain, 5" high vessel: Bathroom is 15-1/2" round; WC is 12" round**

3. **Shower Seat: Side Chase with 6x6" Ceramic Tile Surface. Build deeper chase for seat. See Gail/Ty.**

4. **Install no-fuss on driverside wall, behind bath/galley pocket walls. (See PE for specific placement)**

5. **Insta hot water holder to mount on the D/S vanity cabinets back wall . See P.E. for location**

6. **New sized tank for valid forward double slide layout. H3-45FS: 165 gal. fresh, 87 gal. gray and 75 gal. Black.**

- 7.

- 8.

- 9.

- 10.

Customer signature:

Date:

15. APPLIANCE SPECIFICATIONS

15.1. Gaggenau electric cook top including:

- 1. Dual element glass top
- 2. Recessed in countertop
- 3. Solid surface flush cover

15.2. ~~GE Advantium "speedcook" microwave/convection oven including:~~

- 1. Carousel model integrated into the galley upper cabinet
- 2. Recirculating exhaust fan with charcoal filter
- 3. Over-the-cooktop light

15.3. Residential full size refrigerator/freezer as follows:

- 1. Refrigerator brand: **Amana side-by-side refrigerator/freezer**
- 2. Refrigerator door panels: **Bronze sheet mirror**
- 3. Automatic travel latch (engages with ignition on)
- 4. Additional features: **Ice and water dispenser in the door**

15.4. Fisher-Paykel "DishDrawer" dishwasher including:

- 1. Installed in galley lower with flush drawer front for concealed installation
- 2. Travel latch
- 3. Designer switch panel: **Custom - see Modifications**

15.5. Clothes Washer/dryer as follows (floor plan dependent) :

ECO-1#1

- 1. Washer/dryer brand: **Asko stacked washer/dryer**
- 2. Washer/dryer installation: **Cabinet installed with exterior ducted dryer exhaust (standard)**

15.6. Eureka portable electric canister vacuum

See page 33 for modifications to Appliance Specifications

Customer signature:

Date:

Modifications to Appliance Specifications:

1. Dishwasher Switch panel: Oil Rubbed Bronze

ECO-1#2

2. Sharp microwave finished behind a laminate flip up door

3.

4.

5.

6.

7.

8.

9.

10.

Customer signature:

Date:

16. ACCESSORIES/MISCELLANEOUS

16.1. Cockpit accessories/features include:

- 1. Entry storage step with flip-up stair tread
- 2. Treadliners for entrance steps - see "5. Floor Coverings" (pg. 12) for details
- 3. Pilot and copilot drink holders
- 4. Stairwell cover with full air slide, includes an additional switch at entrance
- 5. Entrance grab handles with custom finishes as follows:
 - 1. Entrance door handle: **Dark Walnut**
 - 2. Lower dash handle: **Dark Walnut**
 - 3. H3 upper step handle: **Dark Walnut**
 - 4. Exit handle: **Dark Walnut**
- 6. Custom dash features including:
 - 1. Contoured instrument dash surround wrapped in leather
 - 2. Dash light dimmer control switch
 - 3. Custom defroster vents: **Custom - see Modifications**
 - 4. High gloss dash panels: **Dark Walnut**
 - 5. Custom steering wheel: **Full black leather covering**
 - 6. Dash panel matching curbside dash accent strip
 - 7. LED accent lighting - see "11. Interior Lighting" (pg. 24) for details
- 7. Custom entry door treatment includes:
 - 1. Sculptured, leather and stainless steel door covering
 - 2. Dash panel matching accent strip
 - 3. LED accent lighting - see "11. Interior Lighting" (pg. 24) for details
- 8. Leather wrapped pilot storage pouch on driver console (*XLVII only*)
- 9. Fire extinguisher

16.2. Salon accessories include:

- 1. Throw pillows for each sofa

16.3. Galley accessories include:

- 1. Trash container in the galley lower cabinet
- 2. Sink and stovetop cover holder in the galley lower cabinet
- 3. Marathon display cabinets include the following treatments:
 - 1. Curbside display(s): **Display shelving only (no glasses)**
 - 2. Driverside display(s): **Display shelving only (no glasses)**

16.4. Bathroom accessories include:

- 1. Damp towel ring located the shower
- 2. Accent matched towel bar(s) in the bathroom
- 3. Toilet tissue holder

16.5. Bedroom accessories include:

- 1. Bedspread/comforter with shams
- 2. Three bed throw pillows
- 3. One set of color coordinated, custom fit bed sheets
- 4. One custom fit mattress pad
- 5. Keyed, fire resistant safe: **Concealed in rear bedroom wardrobe floor**

ECO-1#4

16.6. Miscellaneous "Owners" features:

- 1. Complete owner's manual for coach operation
- 2. Individual walk through with delivery
- 3. List of nationwide service outlets
- 4. 24 hour, toll free, 800 number for service information
- 5. Full alphabetical warranty and information file for all equipment utilized

See page 35 for modifications to Accessories/Miscellaneous

Customer signature:

Date:

Modifications to Accessories/Miscellaneous:

1. Custom defroster Vent: Paint to match leather.

_____ 2.

_____ 3.

_____ 4.

_____ 5.

_____ 6.

_____ 7.

_____ 8.

_____ 9.

_____ 10.

Customer signature:

Date:

THIS PAGE LEFT BLANK ON PURPOSE

Customer signature:

Date: